

## **TFT Research, Reviews and Meta-Analyses That Has Been Published in Peer Reviewed Journals**

- Brown, R. C., Witt, A., Fegert, J. M., Keller, F., Rassenhofer, M., & Plener, P. L. (2017). Psychosocial interventions for children and adolescents after man-made and natural disasters: A meta-analysis and systematic review. *Psychological Medicine*, 47, 1893–1905. doi:10.1017/S0033291717000496
- Carbonell, J. L., & Figley, C. (1999). A systematic clinical demonstration of promising PTSD treatment approaches. *Electronic Journal of Traumatology*, 5(1).
- Connolly, S. M., Roe-Sepowitz, D., Sakai, C. E., & Edwards, J. (2013). Utilizing community resources to treat PTSD: A randomized controlled study using Thought Field Therapy. *African Journal of Traumatic Stress*, 3(1), 24-32. doi:10.13140/RG.2.2.14793.44644.
- Connolly, S. M., & Sakai, C. E. (2011). Brief trauma symptom intervention with Rwandan Genocide survivors using Thought Field Therapy. *International Journal of Emergency Mental Health*, 13(3), 161-172. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22708146>
- Edwards J. (2016). Healing in Rwanda: The words of the therapists. *Holistic Healing Publications*, 16(1).
- Dunnewold, A. L. (2014) Thought Field Therapy efficacy following large scale traumatic events. *Current Research in Psychology*, 5(1), 34-39. doi:10.38/crpsp.2014
- Folkes, C. (2002). Thought Field Therapy and trauma recovery. *International Journal of Emergency Mental Health*, 4, 99-103.
- Irgens, A. C., Hoffart, A., Nysaeter, T. E., Haaland, V. O., Borge, F. M., Pripp, A. H., Martinsen, E. W., & Dammen, T. (2017). Thought Field Therapy compared to Cognitive Behavioral Therapy and wait-list for agoraphobia: A randomized, controlled study with a 12-month follow-up. *Frontiers of Psychology*, 20. Retrieved from <https://doi.org/10.3389/fpsyg.2017.01027>
- Irgens, A., Dammen, T., Nysaeter T., & Hoffart, A. (2012) Thought Field Therapy (TFT) as a treatment for anxiety symptoms: A randomized controlled trial. *Explore*, 8(6) 331-337.
- Morina, N., Nickerson, A., Malek, M., & Bryant, R. (2017). Meta-analysis of interventions for posttraumatic stress disorder and depression in adult survivors of mass violence in low- and middle-income countries. *Depression and Anxiety*, 34(8), 679-691. doi:10.1002/da.22618
- Purgato M., Gastaldon C., Papola D., van Ommeren M., Barbui C., & Tol, W. A. (2018). Psychological therapies for the treatment of mental disorders in low- and middle-income

countries affected by humanitarian crises. *Cochrane Database of Systematic Reviews* 2018, 7, Art. No. CD011849. doi:10.1002/14651858.CD011849.pub2.

Robson, R. H., Robson, P. M. Ludwig, R., Mitabu, C., & Phillips, C. (2016). Effectiveness of Thought Field Therapy provided by newly instructed community workers to a traumatized population in Uganda: A randomized trial. *Current Research in Psychology*. doi:10.3844/crpssp.201

Sakai, C., Connolly, S., & Oas, P. (2010). Treatment of PTSD in Rwanda genocide survivors using Thought Field Therapy. *International Journal of Emergency Mental Health*, 12(1), 41-49. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/?term=Sakai%2C+Connolly%2C+Oas>